

Easting	Northing	Tree No	Species	Height (m)	No Stems	DBH 1 (m)	DBH 2 (m)	DBH 3 (m)	DBH 4 (m)	DBH 5 (m)	DBH Total (m)	DBH Calc (m)	Crown Spread N	Crown Spread E	Crown Spread S	Crown Spread W	Age Class	Physiological Condition	Structural Condition	Comment	Retention Category		Life Expectancy	RPA radius (m)	RPA (m ²)
																					B	2			
359765	430244	1	Fagus sylvatica (Beech)	21	1	0.700					0.700	0.700	5	5	5	4	Mature	Good	Good		B	2	20 to 40	8.4	222
359761	430246	2	Fagus sylvatica (Beech)	21	1	0.800					0.800	0.800	5	6	5	5	Mature	Average	Good		B	2	20 to 40	9.6	290
359753	430242	3	Carpinus betulus 'Fastigiata' (Fastigate Hornbeam)	9	1	0.300					0.300	0.300	3	3	2	4	Young Mature	Good	Good		B	2	20 to 40	3.6	41
359749	430246	4	Fagus sylvatica (Beech)	14	1	0.500					0.500	0.500	2	3	5	5	Young Mature	Good	Good		B	2	20 to 40	6.0	113
359732	430251	5	Fagus sylvatica (Beech)	23	1	0.800					0.800	0.800	6	6	5	6	Mature	Good	Good		B	1	20 to 40	9.6	290
359728	430250	6	Acer pseudoplatanus (Sycamore)	21	1	0.500					0.500	0.500	4	4	4	3	Mature	Good	Good		B	2	20 to 40	6.0	113
359715	430248	7	Fagus sylvatica (Beech)	18	1	0.800					0.800	0.800	5	6	8	6	Mature	Good	Good		B	2	20 to 40	9.6	290
359707	430249	8	Acer pseudoplatanus (Sycamore)	20	1	0.400					0.400	0.400	3	3	3	2	Mature	Average	Average		C	2	20 to 40	4.8	72
359701	430250	9	Fagus sylvatica (Beech)	26	1	0.990					0.990	0.990	9	4	5	6	Mature	Good	Good		B	1	20 to 40	11.9	443
359712	430265	10	Quercus robur (Oak)	21	1	0.900					0.900	0.900	5	5	4	6	Mature	Good	Good		B	1	40+	10.8	366
359717	430262	11	Ulmus glabra (Elm)	21	1	0.300					0.300	0.300	3	2	3	3	Young Mature	Good	Good		B	2	10 to 20	3.6	41
359723	430260	12	Carpinus betulus (Hornbeam)	22	1	0.720					0.720	0.720	5	6	5	6	Mature	Good	Good		B	1	40+	8.6	235
359727	430259	13	Fagus sylvatica (Beech)	24	1	0.900					0.900	0.900	5	6	4	6	Mature	Good	Good		B	1	20 to 40	10.8	366
359730	430269	14	Acer pseudoplatanus (Sycamore)	20	1	1.000					1.000	1.000	6	8	9	8	Mature	Good	Good		B	1	20 to 40	12.0	452
359736	430265	15	Ulmus glabra (Elm)	23	1	0.550					0.550	0.550	6	5	8	6	Mature	Good	Good		B	2	10 to 20	6.6	137
359742	430261	16	Fagus sylvatica (Beech)	25	1	0.710					0.710	0.710	8	7	6	8	Mature	Good	Good		B	2	20 to 40	8.5	228
359744	430254	17	Fagus sylvatica (Beech)	27	1	0.660					0.660	0.660	6	9	7	9	Mature	Good	Good		B	2	20 to 40	7.9	197
359751	430257	18	Quercus robur (Oak)	20	1	0.700					0.700	0.700	6	5	6	7	Mature	Good	Good		B	1	40+	8.4	222
359757	430266	19	Corylus avellana (Hazel)	4	4	0.200	0.100	0.090	0.090		0.066	0.257	4	2	2	2	Mature	Average	Average		C	2	10 to 20	3.1	30
359744	430267	20	Quercus robur (Oak)	11	1	0.550					0.550	0.550	6	4	3	4	Mature	Good	Good		B	1	20 to 40	6.6	137

Easting	Northing	Tree No	Species	Height (m)	No Stems	DBH 1 (m)	DBH 2 (m)	DBH 3 (m)	DBH 4 (m)	DBH 5 (m)	DBH Total (m)	DBH Calc (m)	Crown Spread N	Crown Spread E	Crown Spread S	Crown Spread W	Age Class	Physiological Condition	Structural Condition	Comment	Retention Category		Life Expectancy	RPA radius (m)	RPA (m ²)
																					C	2			
359726	430291	21	Fraxinus excelsior (Ash)	16	1	1.000					1.000	1.000	9	9	11	9	Mature	Average	Average	Early signs of Ash Dieback	C	2	10 to 20	12.0	452
359735	430300	22	Ilex aquifolium (Holly)	4	2	0.200	0.200				0.080	0.283	2	2	2	2	Mature	Average	Average		C	2	10 to 20	3.4	36
359737	430300	23	Crataegus monogyna (Hawthorn)	6	3	0.410	0.350	0.300			0.381	0.617	4	4	4	3	Mature	Average	Average	Fungal fruiting bodies present. Sparse crown. Included union at base.	C	2	10 to 20	7.4	172
359735	430302	24	Crataegus monogyna (Hawthorn)	4	2	0.450	0.300				0.293	0.541	1	3	2	3	Mature	Average	Average	Sparse crown. Bark necrosis. Small dead tree adjacent.	C	2	10 to 20	6.5	132
359745	430300	G25	Corylus avellana (Hazel), Sambucus nigra (Elder), Ilex aquifolium (Holly)	4	2	0.250	0.200				0.103	0.320	2	2	5	2	Mature	Average	Average	Dense group	C	2	10 to 20	3.8	46
359757	430308	26	Crataegus monogyna (Hawthorn)	4	1	0.320					0.320	0.320	3	3	3	3	Mature	Good	Good		B	2	10 to 20	3.8	46
359759	430309	27	Crataegus monogyna (Hawthorn)	4	2	0.250	0.250				0.125	0.354	3	3	2	3	Mature	Good	Good		B	2	10 to 20	4.2	57
359764	430315	28	Crataegus monogyna (Hawthorn)	4	1	0.440					0.440	0.440	3	3	3	3	Mature	Good	Good		B	2	10 to 20	5.3	88
359758	430315	29	Fraxinus excelsior (Ash)	7	1	0.180					0.180	0.180	2	2	2	2	Young	Poor	Poor	Ash Dieback.	U		<10	2.2	15
359775	430315	30	Quercus robur (Oak)	12	1	0.660					0.660	0.660	7	7	6	7	Mature	Good	Good		B	1	40+	7.9	197
359778	430330	31	Quercus robur (Oak)	13	1	0.700					0.700	0.700	7	7	6	8	Mature	Good	Good		B	1	40+	8.4	222
359768	430326	32	Quercus robur (Oak)	13	1	0.500					0.500	0.500	6	6	4	7	Mature	Good	Good		B	2	40+	6.0	113
359764	430323	33	Alnus glutinosa (Alder)	12	1	0.550					0.550	0.550	5	4	4	5	Mature	Average	Average		C	2	20 to 40	6.6	137
359757	430321	34	Quercus robur (Oak)	12	1	0.750					0.750	0.750	11	9	9	11	Mature	Good	Good		B	1	20 to 40	9.0	255
359751	430322	35	Prunus avium (Cherry)	8	1	0.150					0.150	0.150	2	4	3	2	Young	Good	Good		B	2	10 to 20	1.8	10
359745	430320	36	Fagus sylvatica (Beech)	11	1	0.420					0.420	0.420	5	5	5	5	Young Mature	Good	Good	Dense scrub around tree (Elder & Holly)	A	1	40+	5.0	80
359755	430356	37	Alnus glutinosa (Alder)	7	3	0.300	0.100	0.100			0.110	0.332	3	3	3	3	Mature	Good	Good		B	2	20 to 40	4.0	50

Easting	Northing	Tree No	Species	Height (m)	No Stems	DBH 1 (m)	DBH 2 (m)	DBH 3 (m)	DBH 4 (m)	DBH 5 (m)	DBH Total (m)	DBH Calc (m)	Crown Spread N	Crown Spread E	Crown Spread S	Crown Spread W	Age Class	Physiological Condition	Structural Condition	Comment	Retention Category		Life Expectancy	RPA radius (m)	RPA (m ²)
359764	430350	G38	Crataegus monogyna (Hawthorn), Acer pseudoplatanus (Sycamore), Corylus avellana (Hazel), Betula pendula (Birch)	5	1	0.200					0.200	0.200	3	3	3	3	Mature	Average	Average	Linear group along ditch line, formerly a hedge.	C	2	10 to 20	2.4	18
359744	430364	39	Quercus robur (Oak)	12	1	0.610					0.610	0.610	6	6	4	7	Mature	Good	Good		B	1	40+	7.3	168
359770	430351	40	Alnus glutinosa (Alder)	6	2	0.300	0.200				0.130	0.361	3	3	3	3	Mature	Average	Average		C	2	10 to 20	4.3	59
359766	430353	41	Betula pendula (Birch)	9	1	0.280					0.280	0.280	3	3	2	3	Young Mature	Good	Good		B	2	10 to 20	3.4	35
359761	430354	42	Alnus glutinosa (Alder)	10	1	0.400					0.400	0.400	4	4	3	4	Mature	Good	Good		B	2	20 to 40	4.8	72
359699	430407	43	Acer pseudoplatanus (Sycamore)	9	1	0.440					0.440	0.440	6	6	5	6	Mature	Good	Good		B	2	20 to 40	5.3	88
359694	430406	44	Alnus glutinosa (Alder)	8	4	0.300	0.300	0.250	0.200		0.283	0.532	6	5	6	6	Mature	Average	Good		B	2	20 to 40	6.4	128
359692	430419	G45	Acer pseudoplatanus (Sycamore)	4	2	0.100	0.120				0.024	0.156	2	3	2	2	Young	Average	Average	Group of young self set trees. Bark damage due to animal browsing. Adjacent to mature Hawthorn hedgeline.	C	2	10 to 20	1.9	11
359634	430408	46	Prunus avium (Cherry)	8	1	0.420					0.420	0.420	3	4	3	3	Mature	Average	Average		C	2	10 to 20	5.0	80
359615	430415	47	Prunus avium (Cherry)	8	2	0.500	0.440				0.444	0.666	5	4	2	6	Mature	Average	Average		C	2	<10	8.0	201
359610	430416	48	Prunus avium (Cherry)	7	1	0.600					0.600	0.600	6	2	1	4	Mature	Poor	Average		C	2	10 to 20	7.2	163
359578	430427	49	Fraxinus excelsior (Ash)	15	1	0.820					0.820	0.820	5	6	8	6	Mature	Poor	Poor	Bacterial Canker and Ash Dieback.	U		<10	9.8	304
359541	430439	50	Fraxinus excelsior (Ash)	18	1	0.800					0.800	0.800	8	9	5	7	Mature	Average	Average		C	2	10 to 20	9.6	290
359374	430560	51	Quercus robur (Oak)	13	1	0.880					0.880	0.880	8	8	7	8	Mature	Good	Good		B	1	40+	10.6	350
359387	430594	52	Quercus robur (Oak)	12	1	0.920					0.920	0.920	6	8	6	7	Mature	Good	Good		B	1	40+	11.0	383
359401	430638	53	Quercus robur (Oak)	10	1	0.580					0.580	0.580	5	5	5	5	Mature	Good	Good		B	2	40+	7.0	152
359433	430692	54	Fraxinus excelsior (Ash)	17	1	0.780					0.780	0.780	5	6	5	7	Mature	Poor	Poor	Advanced decline due to Ash Dieback.	U		<10	9.4	275
359426	430696	55	Quercus robur (Oak)	16	1	0.720					0.720	0.720	6	4	6	6	Mature	Good	Average	Root damage and base decay.	B	2	20 to 40	8.6	235
359418	430699	56	Acer pseudoplatanus (Sycamore)	17	1	0.700					0.700	0.700	5	4	5	6	Mature	Average	Average		C	2	10 to 20	8.4	222

Easting	Northing	Tree No	Species	Height (m)	No Stems	DBH 1 (m)	DBH 2 (m)	DBH 3 (m)	DBH 4 (m)	DBH 5 (m)	DBH Total (m)	DBH Calc (m)	Crown Spread N	Crown Spread E	Crown Spread S	Crown Spread W	Age Class	Physiological Condition	Structural Condition	Comment	Retention Category		Life Expectancy	RPA radius (m)	RPA (m ²)
																					C	2			
359426	430704	57	Acer pseudoplatanus (Sycamore)	18	1	0.700					0.700	0.700	5	6	4	7	Mature	Average	Average		C	2	10 to 20	8.4	222
359447	430709	58	Quercus robur (Oak)	17	1	0.900					0.900	0.900	8	9	8	8	Mature	Good	Good		B	1	40+	10.8	366
359433	430752	59	Fraxinus excelsior (Ash)	20	1	1.121					1.121	1.121	12	11	12	10	Mature	Average	Good	Likely to contract Ash Dieback, but currently healthy.	B	1	10 to 20	13.5	569
359409	430763	60	Quercus robur (Oak)	16	1	0.800					0.800	0.800	6	7	8	8	Mature	Good	Good		B	1	40+	9.6	290
359405	430771	61	Fraxinus excelsior (Ash)	21	1	0.920					0.920	0.920	9	11	11	10	Mature	Average	Good	Notable Ash Dieback, currently healthy. Neighbouring trees in decline due to Ash Dieback.	C	2	10 to 20	11.0	383
359412	430788	G62	2 x Quercus robur (Oak)	5	1	0.250					0.250	0.250	3	3	3	3	Young Mature	Good	Good	Good form	A	1	40+	3.0	28
359420	430758	63	Prunus avium (Cherry)	5	1	0.580					0.580	0.580	2	3	2	2	Mature	Poor	Average		U		<10	7.0	152
359429	430785	64	Fraxinus excelsior (Ash)	9	1	0.680					0.680	0.680	5	2	4	4	Mature	Poor	Poor	Advanced decline due to Ash Dieback. Surrounded by smaller trees with Ash Dieback.	U		<10	8.2	209
359432	430796	65	Quercus robur (Oak)	11	1	0.690					0.690	0.690	7	7	6	7	Mature	Good	Good		B	2	40+	8.3	215
359400	430831	66	Quercus robur (Oak)	12	1	0.800					0.800	0.800	8	9	8	7	Mature	Good	Average	A large primary buttress root has been cut through to accommodate a fence	B	1	20 to 40	9.6	290
359408	430835	67	Fraxinus excelsior (Ash)	17	1	0.720					0.720	0.720	6	6	4	6	Mature	Average	Average	Possible Ash Dieback.	C	2	<10	8.6	235
359417	430839	68	Quercus robur (Oak)	15	1	0.880					0.880	0.880	7	7	6	7	Mature	Good	Good		B	1	20 to 40	10.6	350
359390	430840	69	Quercus robur (Oak)	9	1	0.780					0.780	0.780	3	4	6	4	Mature	Poor	Poor	In advanced decline.	U		<10	9.4	275
359316	431079	71	Ilex aquifolium (Holly)	4	3	0.100	0.100	0.120			0.034	0.185	2	2	2	2	Mature	Average	Average		C	2	10 to 20	2.2	16
359323	431080	72	Quercus robur (Oak)	3	1	0.100					0.100	0.100	1	1	1	1	Young	Good	Good		B	1	40+	1.2	5
359324	431086	73	Fraxinus excelsior (Ash)	4	1	0.160					0.160	0.160	1	1	1	1	Young	Poor	Poor		U		<10	1.9	12
359338	431084	73/1	Acer pseudoplatanus (Sycamore)	17	1	0.800					0.800	0.800	9	8	7	8	Mature	Average	Average		B	2	20 to 40	9.6	290